

# SDS

# (SAFETY DATA SHEET)

Control Number	Revision number	MSDS Submission number	Date of issue
PS-SDS-25	1	AA07087-0000000025	2022. 06. 29
Product name	P1000HS, P1000HS2		

**SECTION 1** Identification of the substance or mixture and of the supplier

P1000HS, P1000HS2 (Contain: Tin plating material) A. product name

\* Product Specification C64751, C64752

B. Recommended use of the chemical and restrictions on use

\* Recommended use Lead Frame, Terminal, Electricity, Other Parts

\* Restrictions on use Not available

C. Manufacturer / Importer / Distributor Information

\* Company name Poongsan Ulsan Plant

\* Address 94 Sanam-ro Onsan-eup, Ulju-gun, Ulsan

\* Emergency phone number +82) 52 - 231 - 9114 (representative telephone), FAX: +82) 52 - 231 - 9400

\* Department in charge Quality Assurance Team

\* This products are solid metallic products which do generally constitute a non hazardous materials in solid.

However some hazardous elements contained in these products can be emitted under ceratin processing conditions such as but not limited to: burning, melting, cutting, grinding, machining and welding.

The following information is for the hazardous elements which may be released during processing.

#### **SECTION 2 Hazards identification**

A. GHS classification of the substance/mixture Carcinogenicity: Category 1A

Specific target organ toxicity(Repeated exposure): Category 2

Acute aquatic toxicity: Category 1 Chronic aquatic toxicity: Category 1

B. GHS label elements, including precautionary statements

\* Pictogram and symbol





\* Signal word Danger

\* Hazard statements H350 May cause cancer

H373 May cause damage to organs(Lung) through prolonged or repeated exposure

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

\* Precautionary statements

- Precaution P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

- Treatment P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

P308+P313 IF exposed or concerned: Get medical advice/attention.

- Storage P405 Store locked up.

- Disposal P501 Dispose of contents/container to an approved waste disposal plant.

In the case of dust, powder, and fine particles, there is a possibility of C. GHS label elements, including precautionary statements

an explosion when in contact with an ignition source

### **SECTION 3** Composition/information on ingredients

Alloy no.	Chemical Name	Common Name(Synonyms)	CAS number	Content (%)
C64751	Copper	-	7440-50-8	95.9 ~ 96.9
	Nickel	-	7440-02-0	2.5 ~ 2.9
C64752	Copper	-	7440-50-8	95.5 ~ 96.5
	Nickel	-	7440-02-0	2.8 ~ 3.2

<sup>\*</sup> The products may contain small amounts of various elements in those specified, and are actually composed of copper, nickel, tin, silicon and unintended impurities.

SECTION 4	First aid measures
A. Eye contact	Call emergency medical service.
	In case of contact with substance, wipe from skin immediately; flush skin or eyes with
	running water for at least 20 minutes.
	Get medical advice/attention if you feel unwell.
	IF exposed or concerned: Get medical advice/attention.
B. Skin contact	Remove contaminated clothing and shoes and restrict entry to contaminated area.
	In case of contact with substance, wipe from skin immediately; flush skin or eyes with
	running water for at least 20 minutes.
C. Inhalation	Keep victim warm and quiet.
	Get medical advice/attention.
	Get medical advice/attention if you feel unwell.
D. Ingestion	Do not use mouth-to-mouth method if victim ingested or inhaled the substance;
-	give artificial respiration with the aid of a pocket mask equipped with a one-way valve or
	other proper respiratory medical device.
	Get medical advice/attention.
	Get medical advice/attention if you feel unwell.
E Indication of immediate medical attention	Effects of contact or inhalation may be delayed

E. Indication of immediate medical attention 

Effects of contact or inhalation may be delayed. Exposures require specialized first aid with contact and medical follow-up .

SECTION 5	Fire fighting measures
A. Suitable (and unsuitable) extinguishing	Suitable extinguishing media: Covered fire extinguishers and powder fire extinguishers for
media	dry sand, expanded vermiculite, expanded pearlite, water spray etc.
	Unsuitable extinguishing media : high pressure water
B. Specific hazards arising from the chemical	May be ignited by heat, sparks or flames.
	Containers may explode when heated.
	Inhalation of material may be harmful.
C. Special protective equipment and	Move containers from fire area if you can do it without risk.
precautions for fire-fighters	Runoff from fire control or dilution water may cause pollution.
	Dike fire-control water for later disposal; do not scatter the material.
	Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out.
	Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety
	devices or discoloration of tank.
	In case or fire: Use personal protective equipment as required.
	Fire involving Tanks; Always stay away from tanks engulfed in fire.

SECTION 6	Accidental release measures
A. Personal precautions, protective equipment	Clean up spills immediately, observing precautions in Protective Equipment section.
and emergency procedures	Keep unnecessary and unprotected personnel from entering.
	Do not breathe dust/fume/gas/mist/vapours/spray.
	Wear protective gloves/protective clothing/eye protection/face protection.
B. Environmental precautions and protective procedures	Prevent entry to waterways
C. The methods of purification and removal	Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container.

Absorb the liquid and scrub the area with detergent and water.

Avoid release to the environment.

Collect spillage.

SECTION 7	Handling and storage
A. Precautions for safe handling	Obtain special instructions before use.
	Follow all MSDS/label precautions even after container is emptied because they may retain
	product residues.
	Avoid release to the environment.
	Please note that materials and conditions to avoid.
	Please work with reference to engineering controls and personal protective equipment.
	Do not handle until all safety precautions have been read and understood.
	Do not eat, drink or smoke when using this product.
	Wash the handling area thoroughly after handling.
B. Conditions for safe storage	Store locked up.
<u> </u>	Store in a closed container.
	Store in cool and dry place.
	Empty drums should be completely drained, properly bunged, and promptly returned to a
	drum control, or properly placed.
	Keep away from food and drinking water.
CECTION 9	For a control of a
A. Occupational Exposure limits	Exposure controls/personal protection
* Domestic regulations	
Copper	TWA 1mg/m³, STEL 2mg/m³ (dust and mist)
Сорры	TWA filig/iii , 31EE 2ilig/iii (dust and filist) TWA 0.1mg/m <sup>3</sup> (fume)
Nickel	TWA 0.1mg/m <sup>3</sup> (soluble compounds)
. nexe	TWA 0.2mg/m³ (Insoluble inorganic compounds)
	TWA 1mg/m³ (metal)
* ACGIH regulation	
Copper	TWA 0.2mg/m³ (fume)
	TWA 1mg/m³ (metal dust)
Nickel	TWA insoluble inorganic compounds (NOS): 0.2 mg/m³ (inhalable particulate matter)
	TWA elemental: 1.5 mg/m³ (inhalable particluate matter)
* Biological exposure index	Not available(No Data)
B. Appropriate engineering controls	Provide local exhaust ventilation system or other engineering controls to keep the airborne
	concentrations of vapors below their respective threshold limit value.
C. Personal protective equipment	
* Respiratory protection	Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles)
	respiratory protective equipment when necessary.
	In case exposed to particulate material, the respiratory protective equipments as follow are
	recommended.; facepiece filtering respirator or air-putifying respirator, high-efficiency
	particulate air(HEPA) filter media or respirator equipped with powered fan, filter media of
	use(dust, fume)
	In lack of oxygen(< 19.6%), wear the supplied-air respirator or self-contained breathing
* For any to all an	apparatus.
* EVA protection	Wear safety goggles as follow if eye irritation or other disorder occur.
* Eye protection	
Lye protection	- In case of gaseous state organic material: enclosed safety goggles
Lye protection	- In case of vapour state organic material: safety goggles or breathable safety goggles
Lye protection	<ul> <li>In case of vapour state organic material: safety goggles or breathable safety goggles</li> <li>In case of particulate material: breathable safety goggles</li> </ul>
	<ul> <li>In case of vapour state organic material: safety goggles or breathable safety goggles</li> <li>In case of particulate material: breathable safety goggles</li> <li>An eye wash unit and safety shower station should be available nearby work place.</li> </ul>
* Hand protection	<ul> <li>In case of vapour state organic material: safety goggles or breathable safety goggles</li> <li>In case of particulate material: breathable safety goggles</li> <li>An eye wash unit and safety shower station should be available nearby work place.</li> <li>Wear appropriate protective gloves by considering physical and chemical properties of</li> </ul>
* Hand protection	<ul> <li>In case of vapour state organic material: safety goggles or breathable safety goggles</li> <li>In case of particulate material: breathable safety goggles</li> <li>An eye wash unit and safety shower station should be available nearby work place.</li> <li>Wear appropriate protective gloves by considering physical and chemical properties of chemicals.</li> </ul>
	<ul> <li>In case of vapour state organic material: safety goggles or breathable safety goggles</li> <li>In case of particulate material: breathable safety goggles</li> <li>An eye wash unit and safety shower station should be available nearby work place.</li> <li>Wear appropriate protective gloves by considering physical and chemical properties of</li> </ul>

## SECTION 9 Physical and chemical properties

A. Appearance

Solid \* Description \* Color Red

B. Odor Odorless

C. Odor threshold Not available(No Data)

Not available(No Data) D. pH

E. Melting point/freezing point 1075 ℃

F. Initial boiling point and boiling range Not available(No Data)

G. Flash point Not available(No Data)

H. Evaporation rate Not available(No Data)

I. Flammability (solid, gas) Not available(No Data)

J. Upper/lower flammability or explosive limits Not available(No Data)

K. Vapor pressure Not available(No Data)

L. Solubility (ies) Insoluble

M. Vapor density Not available(No Data)

N. Specific gravity 8.89 (Water=1)

O. Partition coefficient n-octanol/water Not available(No Data)

P. Auto ignition temperature Not available(No Data)

Q. Decomposition temperature Not available(No Data)

Not available(No Data) R. Viscosity

S. Molecular weight Not available(No Data)

### **SECTION 10** Stability and reactivity

A. Chemical stability and Possibility of May decompose at high temperatures into forming toxic gases. hazardous reactions

Stable at room temperature, normal pressure and normal use.

Inhalation of material may be harmful. Containers may explode when heated.

Ignition sources (heat, sparks or flames) B. Conditions to avoid

C. Incompatible materials Flammable material, acids, oxidizing agents, alkalis

D. Hazardous decomposition products Irritating, corrosive and/or toxic gases

#### SECTION 11 **Toxicological information**

A. Information of Health Hazardous

\* Acute toxicity ATEmix > 2000 (mg/kg)→ Not classified - Oral

	Copper	LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA)
	Nickel	LD50 > 9000 mg/kg bw rat(OECD Guideline 401)(ECHA)
- [	Permal	ATEmix >2000 (mg/kg) → Not classified
	Copper	LD50 >2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA)
	Nickel	Not available(No Data)

Dust/mist ATEmix >5 (mg/L) → Not classified - Inhalation

Copper	Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)
Nickel	NOAEC >10.2mg/L 1hr rat(ECHA)
Skin corrosion/ irritation	Not classified
Copper	No irritation observed (Species: rabbit) (OECD Guideline 404) (read-aross: Copper oxide)
.,	(ECHA)
Nickel	Not classified as an irritant (Species: rabbit)(OECD Guideline 404)(ECHA)
Serious eye damage/ irritation	Not classified
Copper	No irritation observed (Species: rabbit) (OECD Guideline 405) (read-aross: Copper oxide)
	(ECHA)
Nickel	Not classified as an irritant (species: rabbit) (OECD Guideline 405) (ECHA)
Respiratory sensitization	Not available(No Data)
Skin sensitization	Not classified
Copper	Not sensitizing (species: guinea pig) (OECD Guideline 406) (analog: Copper oxide) (ECHA)
Nickel	Not available(No Data)
Carcinogenicity	Category 1A
OCCUPATIONAL SAFETY AND HEALTH	Nickel: (SMM; Special Management Materials)
ACT	Nickei. (Sivilvi, Special Management Materials)
	Nickel: 1A
Notification of Ministry of Employment	NICKEI. TA
and Labor	Nickel OD
IARC	Nickel: 2B
OSHA	Not classified
ACGIH	Nickel: A5
NTP	Nickel: R
EU CLP	2
Mutagenicity	Not classified
Copper	in vitro- gene mutation study in bacteria results :
	NEGATIVE(Species: S. typhimurium TA 1535, TA 1537, TA 98 and TA 100 and S. typhimurium
	TA 1538)(OECDGuideline 471)(ECHA)(read-across: Copper sulphate pentahydrate
	CAS No. 7758-99-8)(ECHA)
	in vivo- mammalian somatic cell study: cytogenicity / erythrocyte micronucleus results
	NEGATIVE(Species: mouse)(EU Method B.12)(read-across: Copper sulphate pentahydrate
	CAS No. 7758-99-8)(ECHA)
Nickel	in vitro- gene mutation study in mammalian cells results : NEGATIVE(Species : Chinese
	hamster lung fibroblasts)(OECD Guideline 476)(ECHA)
	in vitro-cytogenicity / micronucleus study results : NEGATIVE(Species : Chinese hamster
	lung fibroblasts)(OECD Guideline 487)(ECHA)
Reproductive toxicity	Not classified
Copper	As a result of the second generation reproductive toxicity test, no reproductive toxicity was
	observed at any concentration (species: rat) (OECD Guideline 416)
	(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA)
	As a result of the developmental toxicity test, the mean fetal weight was slightly lower and th
	incidence of skeletal mutation was slightly increased, but was not related to teratogenesis,
	preimplantation loss, or fetal death 6 mg/kg (Species: rabbit) (OECD Guideline 414)
	(read-across: copper (1+) hydroxide CAS No. 1344-69-0) (ECHA)
Nickel	Embryotoxic / teratogenic effects:no effects (ECHA)
Specific target organ toxicity	Not classified
single exposure)	
Copper	As a result of the dermal acute toxicity test, no clinical signs indicative of harmful or serious
	toxicity were observed, no deaths were found
	(read-across: Copper sulphate pentahydrate) (ECHA)
Nickel	Not available(No Data)
Specific target organ toxicity	Category 2
(repeat exposure)	category E
Copper	Oral (subchronic)- LOAELs for liver damage were 1000 ppm (cancer) and 2000 ppm (male),
Соррсі	and results for kidney damage were considered toxicologically insignificant due to their
	, , ,
	species-specific tendencies (species: rat). (EU Method B.26)
	(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA)
	Inhalation (subacute)- Not classified as no serious effects were observed as a result of the tes
	(Species: rat) (OECD Guideline 412) (read-across: Copper oxide) (ECHA)
Nickel	Oral- LOAELs were 2.2 mg/kg bw/day and 6.7 mg/kg bw/day (species: rat)(ECHA) Inhalation- Causes damage to organs through prolonged or repeated exposure

\* Aspiration Hazard Not available(No Data)

CECTION 12	Early Call of any of an
SECTION 12  A. Ecological toxicity	Ecological information
* Fish	
Copper	LC50 38.4~256.2µg/L 96hr Pimephales promelas
	(read-across: copper sulfate CAS No. 7758-98-7)(ECHA)
Nickel	LC50 > 15.3 mg/L 96hr Oncorhynchus mykiss (read-across: nickel dichloride CAS No.
* Crustacean	7718-54-9)(ECHA)
Copper	EC50 31.8µg/L 48hr Ceriodaphnia dubia(ECHA)
Nickel	LC50 > 13 mg/L 48hr Ceriodaphnia dubia (read-across: nickel dichloride CAS No. 7718-54-9)(ECHA)
* Algae	77 10-34-3)(LCTIA)
Copper	EC50 32~245μg/L 72hr Pseudokirchneriella subcapitata
	(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Nickel	EC50 81.5~148µg/L 72hr Pseudokirchneriella subcapitata (read-across: Nickel chloride CAS No. 7718-54-9)(ECHA)
B. Persistence and degradability	
* Persistence	Not available(No Data)
* Degradability	Not available(No Data)
C. Bioaccumulative potential	
* Bioaccumulation	Not available(No Data)
* Biodegradation	Not available(No Data)
D. Mobility in soil	Not available(No Data)
E. Other hazardous effect	
Copper	Fish: NOEC 57.8, 109μg/L 96hr 32day Cyprinodon variegatus (OECD Guideline 210)  (read-across: Copper (II) chloride dihydrate CAS No. 10125-13-0)(ECHA)  Crustacean: NOEC 21.5~181μg/L 21day Daphnia magna (OECD Guideline 211)  (read-across: Copper sulphate CAS No. 7758-98-7)(ECHA)
	Algae: NOEC 37.6~170.8µg/L 72hr Pseudokirchneriella subcapitata (read-across: copper chloride)(OECD Guideline 201)(ECHA)
SECTION 13	Disposal considerations
A. Disposal method	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
B. Disposal precaution	Dispose of contents/container in accordance with relevant regulation.
	Refer to manufacturer or supplier for information on recovery or recycling.
SECTION 14	Transport information
A. UN Number	Not regulated
B. UN Proper shipping name	Not regulated
C. Transport Hazard class	Not regulated
D. Packing group	Not regulated
E. Environmental hazards	Not regulated
F. Special precautions  * in case of fire  * in case of leakage	Not regulated

## SECTION 15 Regulatory information

A. U.S.A Regulatory information & Other regulations

\* U.S.A Regulatory information

- U.S.A management information Copper(227 (CERCLA Regulation) Nickel(45.3:

- U.S.A management information (EPCRA 302 Regulation)

- U.S.A management information (EPCRA 304 Regulation)

- U.S.A management information (EPCRA 313 Regulation)

\* Other regulations

Substance of Rotterdam ConventionSubstance of Stockholm ConventionSubstance of Montreal Protocol

 Harmonised classification
 Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation) Copper(2270 kg (5000 lb)) Nickel(45.3599 kg (100 lb))

Not regulated

Not regulated

Copper(regulated) Nickel(regulated)

Not regulated Not regulated Not regulated

Copper(Aquatic Chronic 2(H411)) Nickel(Carc. 2 STOT RE 1 Skin Sens. 1)

### SECTION 16 Other information

A. Information source and references

CAMEO Chemicals (steam pressure)

ECHA (Generative toxicity, crustaceans, epigrams, percutaneous, other harmful effects, melting points/fish points, reproductive cell mutation, severe eye damage or irritation, fish, spontaneous combustion temperature, algae, specific target organ toxicity (repetitive exposure), dermatologic toxicity, skin corrosion or irritation, inhalation)

ECHA Registered substances(Weight, characteristics) EPISUITE(Partition coefficient n-octanol / water (kow))

HSDB(Odor, color, initial boiling point and boiling point range))

ICSC(solubility)

pubchem(molecular weight)

Self test analysis data (Ulsan site Quality Assurance Team)

B. Issuing date March 25, 2022

C. Revision number and date

\* revision number Ver. 1

D. Others

This Material Safety Data Sheet (SDS) is prepared according to the GHS (Globally Harmonized System of Classification and Labeling of Chemicals) standards of Korea.

This data does not guarantee product quality, but describes safety, health and environmental issues for handling under normal conditions. If the properties of the product are changed due to heating or processing according to the usage method, please check the additional safety and health information before use.

In addition, this information may be revised without prior notice, and materials can be provided through our website (www.poongsan.co.kr).

For other details, please contact our Safety Environment Team or Quality Assurance Team.