PONGSAN		SDS			
		(SAFETY DATA SHEET)			
Control Number	er Revision number		MSDS Submission number	Date of issue	
PS-SDS-12 2			AA07087-000000016	2023. 03. 20	
Product name			P425C		
SECTION 1		Identification c	of the substance or mixture and of the supplier		
A. product name			: Tin plating material)		
* Product Specification		C4250			
B. Recommended use of the	chemical and rest	rictions on use			
* Recommended use		Lead Frame, Ter	rminal, Electrical and Electronic, Other Parts		
* Restrictions on use		Not available			
C. Manufacturer / Importer /	Distributor Inforn	nation			
* Company name		Poongsan Ulsar	n Plant		
* Address		94 Sanam-ro O	nsan-eup, Ulju-gun, Ulsan		
* Emergency phone numl	ber	+82) 52 - 231 - 9114 (representative telephone), FAX: +82) 52 - 231 - 9400			
* Department in charge		Quality Assurance Team			
limited to: burning, melti The following informatio SECTION 2 A. GHS classification of the s	n is for the hazar	dous elements Hazards identif Acute aquatic to	which may be released during processing. fication		
			toxicity . Category 1		
B. GHS label elements, includ	ding precautionary	statements			
* Pictogram and symbol					
* Signal word		Warning			
* Hazard statements		H400 Very toxic to aquatic life			
		H410 Very toxic	c to aquatic life with long lasting effects		
* Precautionary statement	ts				
- Precaution		P273 Avoid release to the environment.			
- Treatment		P391 Collect spillage.			
- Storage		P405 Store lock	-		
- Disposal		P501 Dispose o	f contents/container to an approved waste disposa	I plant.	
C. GHS label elements, including precautionary st		v statements	In the case of dust, powder, and fine particles, the an explosion when in contact with an ignition sou		

SECTION 3 Compos

Composition/information on ingredients

Alloy no.	Chemical Name	Common Name(Synonyms)	CAS number	Content (%)
C4250	Copper	-	7440-50-8	87.0 ~ 90.0
	Zinc	-	7440-66-6	Balance
	Tin	-	7440-31-5	1.5 ~ 3.0

* The products may contain small amounts of various elements in those specified, and are actually composed of copper, zinc, tin, lead, iron, phosphorus and unintended impurities.

SECTION 4	First aid measures
A. Eye contact	Call emergency medical service.
	In case of contact with substance, wipe from skin immediately; flush skin or eyes with

	running water for at least 20 minutes. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention.
B. Skin contact	Remove contaminated clothing and shoes and restrict entry to contaminated area. In case of contact with substance, wipe from skin immediately; flush skin or eyes with running water for at least 20 minutes.
C. Inhalation	Keep victim warm and quiet. Get medical advice/attention. Get medical advice/attention if you feel unwell.
D. Ingestion	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical advice/attention. Get medical advice/attention if you feel unwell.
E. Indication of immediate medical attention	Effects of contact or inhalation may be delayed. Exposures require specialized first aid with contact and medical follow-up .
SECTION 5	Fire fighting measures
A. Suitable (and unsuitable) extinguishing media	Suitable extinguishing media: Covered fire extinguishers and powder fire extinguishers for dry sand, expanded vermiculite, expanded pearlite, water spray etc. Unsuitable extinguishing media : high pressure water
B. Specific hazards arising from the chemical	May be ignited by heat, sparks or flames. Containers may explode when heated. Inhalation of material may be harmful.
C. Special protective equipment and precautions for fire-fighters	Move containers from fire area if you can do it without risk. Runoff from fire control or dilution water may cause pollution. Dike fire-control water for later disposal; do not scatter the material. Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out. Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. In case or fire: Use personal protective equipment as required. Fire involving Tanks; Always stay away from tanks engulfed in fire.
SECTION 6 A. Personal precautions, protective equipment and emergency procedures	Accidental release measures Clean up spills immediately, observing precautions in Protective Equipment section. Keep unnecessary and unprotected personnel from entering. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
B. Environmental precautions and protective procedures	Prevent entry to waterways
C. The methods of purification and removal	Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container. Absorb the liquid and scrub the area with detergent and water. Avoid release to the environment. Collect spillage.
SECTION 7	Handling and storage
A. Precautions for safe handling	Obtain special instructions before use. Follow all MSDS/label precautions even after container is emptied because they may retain product residues. Avoid release to the environment. Please note that materials and conditions to avoid. Please work with reference to engineering controls and personal protective equipment. Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.
 Wash the handling area thoroughly after handling.
 B. Conditions for safe storage
 Store locked up.
 Store in a closed container.
 Store in cool and dry place.
 Empty drums should be completely drained, properly bunged, and promptly returned to a drum control, or properly placed.
 Keep away from food and drinking water.

Exposure controls/personal protection

A. Occupational Exposure limits

SECTION 8

* Domestic regulations	
Copper	TWA 1mg/m ³ , STEL 2mg/m ³ (dust and mist)
	TWA 0.1 mg/m ³ (fume)
Tin	TWA 2mg/m ³ (metal)
	TWA 0.1mg/m ³ (organic compound)
* ACGIH regulation	
Copper	TWA 0.2mg/m ³ (fume)
	TWA 1mg/m ³ (metal dust)
Tin	TWA 2mg/m ³ (metal)
	TWA 0.1mg/m ³ (organic compound)
* Biological exposure index	Not available(No Data)
B. Appropriate engineering controls	Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.
C. Personal protective equipment	
* Respiratory protection	Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles) respiratory protective equipment when necessary.
	In case exposed to particulate material, the respiratory protective equipments as follow are
	recommended. ; facepiece filtering respirator or air-putifying respirator, high-efficiency
	particulate air(HEPA) filter media or respirator equipped with powered fan, filter media of
	use(dust, fume)
	In lack of oxygen(< 19.6%), wear the supplied-air respirator or self-contained breathing
	apparatus.
* Eye protection	Wear safety goggles as follow if eye irritation or other disorder occur.
	- In case of gaseous state organic material: enclosed safety goggles
	- In case of vapour state organic material: safety goggles or breathable safety goggles
	- In case of particulate material: breathable safety goggles
	An eye wash unit and safety shower station should be available nearby work place.
* Hand protection	Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
* Body protection	Wear appropriate protective clothing by considering physical and chemical properties of
body protection	chemicals.
SECTION 9	Physical and chemical properties
A. Appearance	
* Description	Solid
* Color	Red
B. Odor	Odorless
C. Odor threshold	Not available(No Data)
D. pH	Not available(No Data)
E. Melting point/freezing point	1030 ℃
F. Initial boiling point and boiling range	Not available(No Data)

G. Flash point	Not available(No Data)
I. Evaporation rate	Not available(No Data)
Flammability (solid, gas)	Zinc: Non-flammable (less than 20um ~ less than 40um) (ECHA)
. Upper/lower flammability or explosive limit	S NOT AVAILADIE(NO Data)
K. Vapor pressure	Not available(No Data)
Solubility (ies)	Insoluble
M. Vapor density	Not available(No Data)
N. Specific gravity	8.78 (Water=1)
D. Partition coefficient n-octanol/water	Not available(No Data)
P. Auto ignition temperature	Zinc: Not classified as pyrophoric (Nr 4, section 14.4.2.2.4.) (ECHA)
Q. Decomposition temperature	Not available(No Data)
R. Viscosity	Not available(No Data)
5. Molecular weight	Not available(No Data)
SECTION 10	Stability and reactivity
A. Chemical stability and Possibility of hazardous reactions	May decompose at high temperatures into forming toxic gases. Stable at room temperature, normal pressure and normal use. Inhalation of material may be harmful. Containers may explode when heated.
3. Conditions to avoid	Ignition sources (heat, sparks or flames)
C. Incompatible materials	Flammable material, acids, oxidizing agents, alkalis
D. Hazardous decomposition products	Irritating, corrosive and/or toxic gases
D. Hazardous decomposition products SECTION 11	Irritating, corrosive and/or toxic gases Toxicological information
SECTION 11 A. Information of Health Hazardous	
SECTION 11 A. Information of Health Hazardous * Acute toxicity	Toxicological information
SECTION 11 A. Information of Health Hazardous * Acute toxicity - Oral	Toxicological information ATEmix >2000 (mg/kg) → Not classified
SECTION 11 . Information of Health Hazardous * Acute toxicity	Toxicological information ATEmix >2000 (mg/kg) → Not classified LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA)
SECTION 11 . Information of Health Hazardous * Acute toxicity - Oral Copper	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA)
SECTION 11 . Information of Health Hazardous * Acute toxicity - Oral Copper Zinc	Toxicological information ATEmix >2000 (mg/kg) → Not classified LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 >2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 >2000mg/kg rat(female)(OECD Guideline 423)(ECHA)
SECTION 11 A Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified
SECTION 11 A. Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA)
SECTION 11 A. Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data)
SECTION 11 Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA)
SECTION 11 . Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Dermal	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA)
SECTION 11 Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix > 5 (mg/L) → Not classified
SECTION 11 Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation Copper	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix > 5 (mg/L) → Not classified Dust/mist LC50 > 5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)
SECTION 11 A Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation Copper Zinc	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat (OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix > 5 (mg/L) → Not classified Dust/mist LC50 > 5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA) Dust LC50 > 5.41mg/L 4hr rat (OECD Guideline 403)(ECHA)
SECTION 11 A. Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation Copper Zinc Tin - Inhalation	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix >5 (mg/L) → Not classified Dust/mist LC50 > 5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA) Dust LC50 > 5.41mg/L 4hr rat (OECD Guideline 403)(ECHA) Dust LC50 > 4.75mg/L 4hr rat (OECD Guideline 403)(ECHA)
SECTION 11 A. Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation Copper Zinc Tin * Skin corrosion/ irritation	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix >5 (mg/L) → Not classified Dust/mist LC50 > 5.11mg/L 4hr rat (OECD Guideline 403)(ECHA) Dust LC50 > 4.75mg/L 4hr rat (OECD Guideline 403)(ECHA) Not classified No irritation observed (Species: rabbit) (OECD Guideline 404) (read-aross: Copper oxide)
SECTION 11 A. Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation Copper Zinc Tin * Skin corrosion/ irritation Copper C	Toxicological information ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix >5 (mg/L) → Not classified Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA) Dust LC50 > 5.41mg/L 4hr rat (OECD Guideline 403)(ECHA) Dust LC50 > 4.75mg/L 4hr rat (OECD Guideline 403)(ECHA) Not classified No irritation observed (Species: rabbit) (OECD Guideline 404) (read-aross: Copper oxide) (ECHA)
A. Information of Health Hazardous * Acute toxicity - Oral Copper Zinc Tin - Dermal Copper Zinc Tin - Inhalation Copper Zinc Tin * Skin corrosion/ irritation Copper Zinc Tin	ATEmix > 2000 (mg/kg) → Not classified LD50 > 2500mg/kg rat(male)(OECD Guideline 423)(read-aross: Copper oxide)(ECHA) LD50 > 2000 mg/kg bw rat (OECD Guideline 401)(ECHA) LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(female)(OECD Guideline 423)(ECHA) ATEmix > 2000 (mg/kg) → Not classified LD50 > 2000mg/kg rat(OECD Guideline 402)(read-aross: Copper oxide)(ECHA) Not available(No Data) LD50 > 2000mg/kg rat (OECD Guideline 402)(ECHA) Dust/mist ATEmix >5 (mg/L) → Not classified Dust/mist LC50 > 5.11mg/L 4hr rat (OECD Guideline 403)(ECHA) Dust LC50 > 5.41mg/L 4hr rat (OECD Guideline 403)(ECHA) Dust LC50 > 4.75mg/L 4hr rat (OECD Guideline 403)(ECHA) Not classified No irritation observed (Species: rabbit) (OECD Guideline 404) (read-aross: Copper oxide) (ECHA) Not classified as an irritant (Species: rabbit) (ECHA) In vivo- No irritant results from skin corrosion/irritation test (Species: rabbit) (EU Method B.4

	(ECHA)
Zinc	Not classified as an irritant (species: rabbit) (OECD Guideline 405) (ECHA)
Tin	In vivo- No irritation as a result of severe eye damage/irritation (Species: rabbit)(OECD
	Guideline 405)(ECHA)
Respiratory sensitization	Not available(No Data)
Skin sensitization	Not classified
Copper	Not sensitizing (species: guinea pig) (OECD Guideline 406) (analog: Copper oxide) (ECHA)
Zinc	Not available(No Data)
Tin	As a result of skin sensitization test, the substance does not show sensitization (ECHA)
Carcinogenicity	Not classified
ACGIH	Tin: A4 (Tin and organic compounds, as Sn)
Mutagenicity	Not classified
Copper	in vitro- gene mutation study in bacteria results :
	NEGATIVE(Species: S. typhimurium TA 1535, TA 1537, TA 98 and TA 100 and S. typhimurium
	TA 1538)(OECDGuideline 471)(ECHA)(read-across: Copper sulphate pentahydrate
	CAS No. 7758-99-8)(ECHA)
	in vivo- mammalian somatic cell study: cytogenicity / erythrocyte micronucleus results
	NEGATIVE(Species: mouse)(EU Method B.12)(read-across: Copper sulphate pentahydrate
	CAS No. 7758-99-8)(ECHA)
Zinc	Not available(No Data)
Tin	in vitro- gene mutation study in bacteria results : NEGATIVE(Species: S. typhimurium TA 1535,
	TA 1537, TA 98, TA 100 and TA 102)(OECD Guideline 471)(ECHA)
	in vitro- cytogenicity / chromosome aberration study in mammalian cells results :
	NEGATIVE(Species: Chinese hamster Ovary (CHO))(OECD Guideline 473)(ECHA)
	in vitro- cytogenicity / chromosome aberration study in mammalian cells results :
	NEGATIVE(Species: Chinese hamster Ovary (CHO))(OECD Guideline 476)(ECHA)
Reproductive toxicity	Not classified
Copper	As a result of the second generation reproductive toxicity test, no reproductive toxicity was
	observed at any concentration (species: rat) (OECD Guideline 416)
	(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA)
	As a result of the developmental toxicity test, the mean fetal weight was slightly lower and the
	incidence of skeletal mutation was slightly increased, but was not related to teratogenesis,
	preimplantation loss, or fetal death 6 mg/kg (Species: rabbit) (OECD Guideline 414)
	(read-across: copper (1+) hydroxide CAS No. 1344-69-0) (ECHA)
Zinc	Not available(No Data)
Tin	As a result of the reproductive toxicity test, no treatment was achieved when the drug was
	administered by gavage to the test species for up to 56 days F1 NOEL >1000mg/kg
	(species: rat) (OECD Guideline) 421) (ECHA)
	As a result of developmental toxicity test, the dose was not affected NOEL 1000mg/kg
	(Species: Rat)(OECD Guideline 414)(ECHA)
Specific target organ toxicity	Not classified
single exposure)	
Copper	As a result of the dermal acute toxicity test, no clinical signs indicative of harmful or serious
	toxicity were observed, no deaths were found
	(read-across: Copper sulphate pentahydrate) (ECHA)
Zinc	Not available(No Data)
Tin	Fine particles may cause physical irritation of the respiratory tract (ICSC) (Irritation due to the
	physical properties of metal particles does not apply to this classification)
	Acute toxicity Signs of toxic reactions not evident after inhalation exposure (ECHA)
Specific target organ toxicity	

* Specific target organ toxicity

Not classified

(repeat exposure)

Copper	Oral (subchronic)- LOAELs for liver damage were 1000 ppm (cancer) and 2000 ppm (male),
	and results for kidney damage were considered toxicologically insignificant due to their
	species-specific tendencies (species: rat). (EU Method B.26)
	(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA)
	Inhalation (subacute)- Not classified as no serious effects were observed as a result of the test
	(Species: rat) (OECD Guideline 412) (read-across: Copper oxide) (ECHA)
Zinc	Not available(No Data)
Tin	Oral (subacute)- no associated toxicity was observed in test species administered at dose
	levels of 30, 300 and 1000 mg/kg for 28 days (species: rat) (OECD Guideline 407) (ECHA)
	When exposed to respiratory dust or fumes, it is deposited by physical action and causes

	benign pneumoconiosis in humans.
* Aspiration Hazard	Not available(No Data)

Ecological information

SECTION 12

A. Ecological toxicity

* Fish	
Copper	LC50 38.4~256.2µg/L 96hr Pimephales promelas
	(read-across: copper sulfate CAS No. 7758-98-7)(ECHA)
Zinc	LC50 439µg/L 96hr (ECHA)
Tin	LC50 >12.4mg/L 96hr Pimephales promelas(OECD Guideline 203)(ECHA)
* Crustacean	
Copper	EC50 31.8µg/L 48hr Ceriodaphnia dubia(ECHA)
Zinc	EC50 860µg/L 48hr (ECHA)
Tin	Not available(No Data)
* Algae	
Copper	EC50 32~245µg/L 72hr Pseudokirchneriella subcapitata
	(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Zinc	Not available(No Data)
Tin	EC50 >19.2µg/L 72hr Pseudokirchneriella subcapitata (OECD Guideline 201)(ECHA)

B. Persistence and degradability

* Persistence	Not available(No Data)
* Degradability	Not available(No Data)
C. Bioaccumulative potential	
* Bioaccumulation	Not available(No Data)
* Biodegradation	Not available(No Data)
D. Mobility in soil	Not available(No Data)

E. Other hazardous effect

Copper	Fish: NOEC 57.8, 109µg/L 96hr 32day Cyprinodon variegatus (OECD Guideline 210)	
	(read-across: Copper (II) chloride dihydrate CAS No. 10125-13-0)(ECHA)	
	Crustacean: NOEC 21.5~181µg/L 21day Daphnia magna (OECD Guideline 211)	
	(read-across: Copper sulphate CAS No. 7758-98-7)(ECHA)	
	Algae: NOEC 37.6~170.8µg/L 72hr Pseudokirchneriella subcapitata	
	(read-across: copper chloride)(OECD Guideline 201)(ECHA)	
Zinc	Fish: NOEC 50µg/L 5month Phoxinus phoxinus (ECHA)	
	Crustacean: NOEC 25µg/L 1week Ceriodaphnia dubia (ECHA)	
	Algae: NOEC 50µg/L 3day Pseudokirchneriella subcapitata (OECD Guideline 201)(ECHA)	
Tin	Crustacean: NOEC 100µg/L 7day Ceriodaphnia dubia (ECHA)	

SECTION 13	Disposal considerations
A. Disposal method	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
B. Disposal precaution	Dispose of contents/container in accordance with relevant regulation. Refer to manufacturer or supplier for information on recovery or recycling.
SECTION 14	Transport information
A. UN Number	Not regulated
B. UN Proper shipping name	Not regulated

C. Transport Hazard class	Not regulated
D. Packing group	Not regulated

E. Environmental hazards

Not regulated

* in case of fire

* in case of leakage

SECTION 15	Regulatory information
A. U.S.A Regulatory information & Other reg	
* U.S.A Regulatory information	
- U.S.A management information	Copper(2270 kg (5000 lb))
(CERCLA Regulation)	Zinc(454 kg (1000 lb))
- U.S.A management information	Not regulated
(EPCRA 302 Regulation)	-
- U.S.A management information	Not regulated
(EPCRA 304 Regulation)	
- U.S.A management information	Copper(regulated)
(EPCRA 313 Regulation)	Zinc(regulated)
* Other regulations	
- Substance of Rotterdam Convention	Not regulated
- Substance of Stockholm Convention	Not regulated
- Substance of Montreal Protocol	Not regulated
- Harmonised classification	Copper(Aquatic Chronic 2(H411))
- Annex VI of Regulation (EC) No	Zinc(zinc dust (pyrophoric): Pyr. Sol. 1, Water-react. 1, Aquatic Acute 1, Aquatic Chronic 1)
1272/2008 (CLP Regulation)	(zinc dust (stabilised): Aquatic Acute 1, Aquatic Chronic 1)
SECTION 16	Other information
A. Information source and references	CAMEO Chemicals (steam pressure)
	ECHA (Generative toxicity, crustaceans, epigrams, percutaneous, other harmful effects,
	melting points/fish points, reproductive cell mutation, severe eye damage or irritation,
	fish, spontaneous combustion temperature, algae, specific target organ toxicity
	(repetitive exposure), dermatologic toxicity, skin corrosion or irritation, inhalation)
	ECHA Registered substances(Weight, characteristics)
	EPISUITE(Partition coefficient n-octanol / water (kow))
	HSDB(Odor, color, initial boiling point and boiling point range))
	ICSC(solubility)
	pubchem(molecular weight)
	Self test analysis data (Ulsan site Quality Assurance Team)
	Zinc (Flammability, pyrophoric, water reactivity)(ECHA)
B. Issuing date	March 25, 2022
5	
C. Revision number and date	
* revision number	Ver. 2
* date of the latest revision	March 20, 2023
D. Others	This Material Safety Data Sheet (SDS) is prepared according to the GHS (Globally Harmonized
2. 3465	System of Classification and Labeling of Chemicals) standards of Korea.
	This data does not guarantee product quality, but describes safety, health and environmental
	issues for handling under normal conditions. If the properties of the product are changed
	due to heating or processing according to the usage method, please check the additional
	safety and health information before use.
	In addition, this information may be revised without prior notice, and materials can be
	provided through our website (www.poongsan.co.kr).
	For other details, please contact our Safety Environment Team or Quality Assurance Team

For other details, please contact our Safety Environment Team or Quality Assurance Team.