

<b>POONGSAN</b>		<b>SDS ( SAFETY DATA SHEET )</b>	
<b>Control Number</b>	<b>Revision number</b>	<b>MSDS Submission number</b>	<b>Date of issue</b>
PS-SDS-23	1	AA07087-0000000028	2022. 06. 29
<b>Product name</b>	<b>Nordic Gold</b>		

<b>SECTION 1</b>	<b>Identification of the substance or mixture and of the supplier</b>
------------------	-----------------------------------------------------------------------

A. product name Nordic Gold (Contain : Tin plating material)  
 \* Product Specification C63500

B. Recommended use of the chemical and restrictions on use  
 \* Recommended use Construction, Coin, Accessory, Terminal, Electric and Electronic, and Other Parts.  
 \* Restrictions on use Not available

C. Manufacturer / Importer / Distributor Information  
 \* Company name Poongsan Ulsan Plant  
 \* Address 94 Sanam-ro Onsan-eup, Ulju-gun, Ulsan  
 \* Emergency phone number +82) 52 - 231 - 9114 (representative telephone), FAX: +82) 52 - 231 - 9400  
 \* Department in charge Quality Assurance Team

※ **This products are solid metallic products which do generally constitute a non hazardous materials in solid. However some hazardous elements contained in these products can be emitted under ceratin processing conditions such as but not limited to: burning, melting, cutting, grinding, machining and welding. The following information is for the hazardous elements which may be released during processing.**

<b>SECTION 2</b>	<b>Hazards identification</b>
------------------	-------------------------------

A. GHS classification of the substance/mixture  
 Acute toxicity(Inhalation) : Category 4  
 Reproductive toxicity : Category 1B  
 Acute aquatic toxicity : Category 1  
 Chronic aquatic toxicity : Category 1

B. GHS label elements, including precautionary statements  
 \* Pictogram and symbol

\* Signal word Danger

\* Hazard statements  
 H332 Harmful if inhaled  
 H360 May damage fertility or the unborn child  
 H400 Very toxic to aquatic life  
 H410 Very toxic to aquatic life with long lasting effects

\* Precautionary statements  
 - Precaution  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray  
 P271 Use only outdoors or in a well-ventilated area  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

- Treatment  
 P312 Call a POISON CENTER or doctor/physician if you feel unwell  
 P391 Collect spillage.  
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.

- Storage  
 P405 Store locked up.

- Disposal  
 P501 Dispose of contents/container to an approved waste disposal plant.

C. GHS label elements, including precautionary statements In the case of dust, powder, and fine particles, there is a possibility of

an explosion when in contact with an ignition source

### SECTION 3

#### Composition/information on ingredients

Alloy no.	Chemical Name	Common Name(Synonyms)	CAS number	Content (%)
C63500	Copper	-	7440-50-8	Balance
	Zinc	-	7440-66-6	4.8~5.2
	Aluminium	-	7429-90-5	4.8~5.2

※ The products may contain small amounts of various elements in those specified, and are actually composed of copper, zinc, aluminium, tin and unintended impurities.

### SECTION 4

#### First aid measures

- A. Eye contact  
Call emergency medical service.  
In case of contact with substance, wipe from skin immediately; flush skin or eyes with running water for at least 20 minutes.  
Get medical advice/attention if you feel unwell.  
IF exposed or concerned: Get medical advice/attention.
- B. Skin contact  
Remove contaminated clothing and shoes and restrict entry to contaminated area.  
In case of contact with substance, wipe from skin immediately; flush skin or eyes with running water for at least 20 minutes.
- C. Inhalation  
Keep victim warm and quiet.  
Get medical advice/attention.  
Get medical advice/attention if you feel unwell.
- D. Ingestion  
Do not use mouth-to-mouth method if victim ingested or inhaled the substance;  
give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.  
Get medical advice/attention.  
Get medical advice/attention if you feel unwell.
- E. Indication of immediate medical attention □ Effects of contact or inhalation may be delayed.  
Exposures require specialized first aid with contact and medical follow-up .

### SECTION 5

#### Fire fighting measures

- A. Suitable (and unsuitable) extinguishing media  
Suitable extinguishing media: Covered fire extinguishers and powder fire extinguishers for dry sand, expanded vermiculite, expanded perlite, water spray etc.  
Unsuitable extinguishing media : high pressure water
- B. Specific hazards arising from the chemical  
May be ignited by heat, sparks or flames.  
Containers may explode when heated.  
Inhalation of material may be harmful.
- C. Special protective equipment and precautions for fire-fighters  
Move containers from fire area if you can do it without risk.  
Runoff from fire control or dilution water may cause pollution.  
Dike fire-control water for later disposal; do not scatter the material.  
Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out.  
Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.  
In case of fire: Use personal protective equipment as required.  
Fire involving Tanks; Always stay away from tanks engulfed in fire.

### SECTION 6

#### Accidental release measures

- A. Personal precautions, protective equipment and emergency procedures  
Clean up spills immediately, observing precautions in Protective Equipment section.  
Keep unnecessary and unprotected personnel from entering.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.
- B. Environmental precautions and protective procedures  
Prevent entry to waterways



A. Appearance	
* Description	Solid
* Color	Yellow
B. Odor	Odorless
C. Odor threshold	Not available(No Data)
D. pH	Not available(No Data)
E. Melting point/freezing point	1050 °C
F. Initial boiling point and boiling range	Not available(No Data)
G. Flash point	Not available(No Data)
H. Evaporation rate	Not available(No Data)
I. Flammability (solid, gas)	Zinc: Non-flammable (less than 20um ~ less than 40um) (ECHA)
J. Upper/lower flammability or explosive limits	Not available(No Data)
K. Vapor pressure	Not available(No Data)
L. Solubility (ies)	Insoluble
M. Vapor density	Not available(No Data)
N. Specific gravity	9 (Water=1)
O. Partition coefficient n-octanol/water	Not available(No Data)
P. Auto ignition temperature	Zinc: Not classified as pyrophoric (Nr 4, section 14.4.2.2.4.) (ECHA)
Q. Decomposition temperature	Not available(No Data)
R. Viscosity	Not available(No Data)
S. Molecular weight	Not available(No Data)

<b>SECTION 10</b>	<b>Stability and reactivity</b>
-------------------	---------------------------------

A. Chemical stability and Possibility of hazardous reactions	May decompose at high temperatures into forming toxic gases. Stable at room temperature, normal pressure and normal use. Inhalation of material may be harmful. Containers may explode when heated.
B. Conditions to avoid	Ignition sources (heat, sparks or flames)
C. Incompatible materials	Flammable material, acids, oxidizing agents, alkalis
D. Hazardous decomposition products	Irritating, corrosive and/or toxic gases

<b>SECTION 11</b>	<b>Toxicological information</b>
-------------------	----------------------------------

A. Information of Health Hazardous

\* Acute toxicity

- Oral

**ATEmix >2000 (mg/kg) → Not classified**

Copper	LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-across: Copper oxide)(ECHA)
Zinc	LD50 >2000 mg/kg bw rat (OECD Guideline 401)(ECHA)
Aluminium	LD50 >15900mg/L rat (OECD Guideline 401)(ECHA)

- Dermal

**ATEmix >2000 (mg/kg) → Not classified**

Copper	LD50 >2000mg/kg rat(OECD Guideline 402)(read-across: Copper oxide)(ECHA)
--------	--------------------------------------------------------------------------

Zinc	Not available(No Data)
Aluminium	Not available(No Data)
- Inhalation	<b>Dust/mist ATEmix &gt;1 (mg/L) → Category 4</b>
Copper	Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)
Zinc	Dust LC50 >5.41mg/L 4hr rat (OECD Guideline 403)(ECHA)
Aluminium	Dust LC50 >0.888mg/L 4hr rat (OECD Guideline 403)(ECHA)
* Skin corrosion/ irritation	<b>Not classified</b>
Copper	No irritation observed (Species: rabbit) (OECD Guideline 404) (read-across: Copper oxide) (ECHA)
Zinc	Not classified as an irritant (Species: rabbit) (ECHA)
Aluminium	Not classified as an irritant (species: rabbit) (OECD Guideline 404) (ECHA)
* Serious eye damage/ irritation	<b>Not classified</b>
Copper	No irritation observed (Species: rabbit) (OECD Guideline 405) (read-across: Copper oxide) (ECHA)
Zinc	Not classified as an irritant (species: rabbit) (OECD Guideline 405) (ECHA)
Aluminium	Not classified as an irritant (species: rabbit) (ECHA)
* Respiratory sensitization	Not available(No Data)
* Skin sensitization	<b>Not classified</b>
Copper	Not sensitizing (species: guinea pig) (OECD Guideline 406) (analog: Copper oxide) (ECHA)
Zinc	Not available(No Data)
Aluminium	Not classified as hypersensitivity (species: guinea pig) (ECHA)
* Carcinogenicity	<b>Not classified</b>
- ACGIH	Tin: A4 (Tin and organic compounds, as Sn)
* Mutagenicity	<b>Not classified</b>
Copper	in vitro- gene mutation study in bacteria results : NEGATIVE(Species: S. typhimurium TA 1535, TA 1537, TA 98 and TA 100 and S. typhimurium TA 1538)(OECD Guideline 471)(ECHA)(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA) in vivo- mammalian somatic cell study: cytogenicity / erythrocyte micronucleus results NEGATIVE(Species: mouse)(EU Method B.12)(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Zinc	Not available(No Data)
Aluminium	in vitro- cytogenicity / chromosome aberration study in mammalian cells results : NEGATIVE(Species:mouse lymphoma L5178Y cells)(OECD Guideline 476)(ECHA) in vivo- cytogenicity / chromosome aberration study in mammalian cells results : NEGATIVE(Species: rat)(OECD Guideline 474)(ECHA)
* Reproductive toxicity	<b>Category 1B</b>
Copper	As a result of the second generation reproductive toxicity test, no reproductive toxicity was observed at any concentration (species: rat) (OECD Guideline 416) (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA) As a result of the developmental toxicity test, the mean fetal weight was slightly lower and the incidence of skeletal mutation was slightly increased, but was not related to teratogenesis, preimplantation loss, or fetal death 6 mg/kg (Species: rabbit) (OECD Guideline 414) (read-across: copper ( 1+) hydroxide CAS No. 1344-69-0) (ECHA)
Zinc	Not available(No Data)
Aluminium	As a result of oral reproductive toxicity test in rats, NOAEL = 266 mg/kg bw/day (OECD TG 414) As a result of developmental and reproductive toxicity test in pregnant rats, embryos were removed between 6-18 days (ECHA)
* Specific target organ toxicity (single exposure)	<b>Not classified</b>
Copper	As a result of the dermal acute toxicity test, no clinical signs indicative of harmful or serious toxicity were observed, no deaths were found (read-across: Copper sulphate pentahydrate) (ECHA)
Zinc	Not available(No Data)
Aluminium	No abnormal toxicological signs were observed from acute toxicity study (ECHA)
* Specific target organ toxicity (repeat exposure)	<b>Not classified</b>
Copper	Oral (subchronic)- LOAELs for liver damage were 1000 ppm (cancer) and 2000 ppm (male), and results for kidney damage were considered toxicologically insignificant due to their species-specific tendencies (species: rat). (EU Method B.26) (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA)

	Inhalation (subacute)- Not classified as no serious effects were observed as a result of the test (Species: rat) (OECD Guideline 412) (read-across: Copper oxide) (ECHA)
Zinc	Not available(No Data)
Aluminium	Oral- No clinical signs of death or poisoning were observed. (Species: rat) (OECD Guideline 422) (ECHA) Inhalation (subacute)- Not classified as no serious effects were observed as a result of the test (Species: Rat) (OECD Guideline 413) (ECHA)

\* Aspiration Hazard Not available(No Data)

**SECTION 12 Ecological information**

A. Ecological toxicity

\* Fish

Copper	LC50 38.4~256.2µg/L 96hr Pimephales promelas (read-across: copper sulfate CAS No. 7758-98-7)(ECHA)
Zinc	LC50 439µg/L 96hr (ECHA)
Aluminium	LC50 > 1.16 mg/L, 96hr

\* Crustacean

Copper	EC50 31.8µg/L 48hr Ceriodaphnia dubia(ECHA)
Zinc	EC50 860µg/L 48hr (ECHA)
Aluminium	Not available(No Data)

\* Algae

Copper	EC50 32~245µg/L 72hr Pseudokirchneriella subcapitata (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Zinc	Not available(No Data)
Aluminium	Not available(No Data)

B. Persistence and degradability

\* Persistence Not available(No Data)  
\* Degradability Not available(No Data)

C. Bioaccumulative potential

\* Bioaccumulation Not available(No Data)  
\* Biodegradation Not available(No Data)

D. Mobility in soil Not available(No Data)

E. Other hazardous effect

Copper	Fish: NOEC 57.8, 109µg/L 96hr 32day Cyprinodon variegatus (OECD Guideline 210) (read-across: Copper (II) chloride dihydrate CAS No. 10125-13-0)(ECHA) Crustacean: NOEC 21.5~181µg/L 21day Daphnia magna (OECD Guideline 211) (read-across: Copper sulphate CAS No. 7758-98-7)(ECHA) Algae: NOEC 37.6~170.8µg/L 72hr Pseudokirchneriella subcapitata (read-across: copper chloride)(OECD Guideline 201)(ECHA)
Zinc	Fish: NOEC 50µg/L 5month Phoxinus phoxinus (ECHA) Crustacean: NOEC 25µg/L 1week Ceriodaphnia dubia (ECHA) Algae: NOEC 50µg/L 3day Pseudokirchneriella subcapitata (OECD Guideline 201)(ECHA)
Aluminium	Crustacean: NOEC 1.02 mg/L 6d Ceriodaphnia dubia(ECHA) Algae: NOEC 2760.3 µg/L 72hr Lemna minor(OECD Guideline 221)(ECHA)

**SECTION 13 Disposal considerations**

A. Disposal method Waste must be disposed of in accordance with federal, state and local environmental control regulations.

B. Disposal precaution Dispose of contents/container in accordance with relevant regulation. Refer to manufacturer or supplier for information on recovery or recycling.

**SECTION 14 Transport information**

A. UN Number Not regulated

B. UN Proper shipping name Not regulated

C. Transport Hazard class	Not regulated
D. Packing group	Not regulated
E. Environmental hazards	Not regulated
F. Special precautions	Not regulated
* in case of fire	
* in case of leakage	

SECTION 15	Regulatory information
------------	------------------------

A. U.S.A Regulatory information & Other regulations	
* U.S.A Regulatory information	
- U.S.A management information	Copper(2270 kg (5000 lb))
□ (CERCLA Regulation)	Zinc(454 kg (1000 lb))
- U.S.A management information	Not regulated
(EPCRA 302 Regulation)	
- U.S.A management information	Not regulated
(EPCRA 304 Regulation)	
- U.S.A management information□	Copper(regulated)
(EPCRA 313 Regulation)	Zinc(regulated)
	Aluminium(regulated)
* Other regulations	
- Substance of Rotterdam Convention	Not regulated
- Substance of Stockholm Convention	Not regulated
- Substance of Montreal Protocol	Not regulated
- Harmonised classification	Copper(Aquatic Chronic 2(H411))
- Annex VI of Regulation (EC) No	Zinc(zinc dust (pyrophoric): Pyr. Sol. 1, Water-react. 1, Aquatic Acute 1, Aquatic Chronic 1)
1272/2008 (CLP Regulation)	(zinc dust (stabilised): Aquatic Acute 1, Aquatic Chronic 1)
	Aluminium(aluminium powder (pyrophoric): Pyr. Sol. 1, Water-react. 2)
	(aluminium powder (stabilised): Flam. Sol. 1, Water-react. 2)

SECTION 16	Other information
------------	-------------------

A. Information source and references	CAMEO Chemicals (steam pressure) ECHA (Generative toxicity, crustaceans, epigrams, percutaneous, other harmful effects, melting points/fish points, reproductive cell mutation, severe eye damage or irritation, fish, spontaneous combustion temperature, algae, specific target organ toxicity (repetitive exposure), dermatologic toxicity, skin corrosion or irritation, inhalation) ECHA Registered substances(Weight, characteristics) EPISUITE(Partition coefficient n-octanol / water (kow)) HSDB(Odor, color, initial boiling point and boiling point range) ICSC(solubility) pubchem(molecular weight) Self test analysis data (Ulsan site Quality Assurance Team) Zinc, Aluminium (Flammability, pyrophoric, water reactivity)(ECHA)
B. Issuing date	March 25, 2022
C. Revision number and date	
* revision number	Ver. 1
* date of the latest revision	June 29, 2022
D. Others	This Material Safety Data Sheet (SDS) is prepared according to the GHS (Globally Harmonized System of Classification and Labeling of Chemicals) standards of Korea. This data does not guarantee product quality, but describes safety, health and environmental issues for handling under normal conditions. If the properties of the product are changed due to heating or processing according to the usage method, please check the additional safety and health information before use. In addition, this information may be revised without prior notice, and materials can be provided through our website (www.poongsan.co.kr). For other details, please contact our Safety Environment Team or Quality Assurance Team.