


		SDS (SAFETY DATA SHEET)	
Product name	P1812	Date of first creation	2023. 11. 29
		Revision No.	1
Control No.	PS-SDS-35	Date of last revision	2025. 05. 30
MSDS Submission No.	AA07087-0000000080	Date of validation	2025. 05. 30

SECTION 1	Identification of the substance or mixture and of the supplier
-----------	--

- A. product name P1812
 * Product Specification -
- B. Recommended use of the chemical and restrictions on use
 * Recommended use Lead Frame, Terminal, Electricity, Other Parts
 * Restrictions on use Not available
- C. Manufacturer / Importer / Distributor Information
 * Company name Poongsan Ulsan Plant
 * Address 94 Sanam-ro Onsan-eup, Ulju-gun, Ulsan
 * Emergency phone number +82) 52 - 231 - 9114 (representative telephone), FAX: +82) 52 - 231 - 9400
 * Department in charge Quality Assurance Team

※ This products are solid metallic products which do generally constitute a non hazardous materials in solid.
 However some hazardous elements contained in these products can be emitted under ceratin processing conditions such as but not limited to: burning, melting, cutting, grinding, machining and welding.
 The following information is for the hazardous elements which may be released during processing.

SECTION 2	Hazards identification
-----------	------------------------

- A. GHS classification of the substance/mixture
 Reproductive toxicity : Category 1B
 Acute aquatic toxicity : Category 1
 Chronic aquatic toxicity : Category 1
- B. GHS label elements, including precautionary statements
 * Pictogram and symbol
- 


- * Signal word Danger
- * Hazard statements
 H360 May damage fertility or the unborn child
 H400 Very toxic to aquatic life
 H410 Very toxic to aquatic life with long lasting effects
- * Precautionary statements
- Precaution P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P273 Avoid release to the environment.
 - Treatment P391 Collect spillage.
 - Storage P308+P313 IF exposed or concerned: Get medical advice/attention.
 - Disposal P405 Store locked up.
 P501 Dispose of contents/container to an approved waste disposal plant.
- C. GHS label elements, including precautionary statements In the case of dust, powder, and fine particles, there is a possibility of an explosion when in contact with an ignition source

SECTION 3	Composition/information on ingredients
-----------	--

Alloy no.	Chemical Name	Common Name(Synonyms)	CAS number	Content (%)
C1812	Copper	-	7440-50-8	Balance
	Tellurium	-	13494-80-9	0.3 ~ 0.7

※ The products may contain small amounts of various elements in those specified, and are actually composed of copper, nickel,

phosphide, tellurium and unintended impurities.

SECTION 4		First aid measures
A. Eye contact	Call emergency medical service. In case of contact with substance, wipe from skin immediately; flush skin or eyes with running water for at least 20 minutes. Get medical advice/attention if you feel unwell. If exposed or concerned: Get medical advice/attention.	
B. Skin contact	Remove contaminated clothing and shoes and restrict entry to contaminated area. In case of contact with substance, wipe from skin immediately; flush skin or eyes with running water for at least 20 minutes.	
C. Inhalation	Keep victim warm and quiet. Get medical advice/attention. Get medical advice/attention if you feel unwell.	
D. Ingestion	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical advice/attention. Get medical advice/attention if you feel unwell.	
E. Indication of immediate medical attention	Effects of contact or inhalation may be delayed. Exposures require specialized first aid with contact and medical follow-up .	
SECTION 5		Fire fighting measures
A. Suitable (and unsuitable) extinguishing media	Suitable extinguishing media: Covered fire extinguishers and powder fire extinguishers for dry sand, expanded vermiculite, expanded perlite, water spray etc. Unsuitable extinguishing media : high pressure water	
B. Specific hazards arising from the chemical	May be ignited by heat, sparks or flames. Containers may explode when heated. Inhalation of material may be harmful.	
C. Special protective equipment and precautions for fire-fighters	Move containers from fire area if you can do it without risk. Runoff from fire control or dilution water may cause pollution. Dike fire-control water for later disposal; do not scatter the material. Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out. Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. In case of fire: Use personal protective equipment as required. Fire involving Tanks; Always stay away from tanks engulfed in fire.	
SECTION 6		Accidental release measures
A. Personal precautions, protective equipment and emergency procedures	Clean up spills immediately, observing precautions in Protective Equipment section. Keep unnecessary and unprotected personnel from entering. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.	
B. Environmental precautions and protective procedures	Prevent entry to waterways	
C. The methods of purification and removal	Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container. Absorb the liquid and scrub the area with detergent and water. Avoid release to the environment. Collect spillage.	
SECTION 7		Handling and storage
A. Precautions for safe handling	Obtain special instructions before use. Follow all MSDS/label precautions even after container is emptied because they may retain	

product residues.
 Avoid release to the environment.
 Please note that materials and conditions to avoid.
 Please work with reference to engineering controls and personal protective equipment.
 Do not handle until all safety precautions have been read and understood.
 Do not eat, drink or smoke when using this product.
 Wash the handling area thoroughly after handling.

B. Conditions for safe storage

Store locked up.
 Store in a closed container.
 Store in cool and dry place.
 Empty drums should be completely drained, properly bunged, and promptly returned to a drum control, or properly placed.
 Keep away from food and drinking water.

SECTION 8	Exposure controls/personal protection
-----------	---------------------------------------

A. Occupational Exposure limits

* Domestic regulations

Copper	TWA 1mg/m ³ , STEL 2mg/m ³ (dust and mist) TWA 0.1mg/m ³ (fume)
Tellurium	TWA 0.1mg/m ³

* ACGIH regulation

Copper	TWA 0.2mg/m ³ (fume) TWA 1mg/m ³ (metal dust)
Tellurium	TWA 0.1mg/m ³

B. Appropriate engineering controls

Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

C. Personal protective equipment

* Respiratory protection

Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles) respiratory protective equipment when necessary.

In case exposed to particulate material, the respiratory protective equipments as follow are recommended. ; facepiece filtering respirator or air-purifying respirator, high-efficiency particulate air(HEPA) filter media or respirator equipped with powered fan, filter media of use(dust, fume)

In lack of oxygen(< 19.6%), wear the supplied-air respirator or self-contained breathing apparatus.

* Eye protection

Wear safety goggles as follow if eye irritation or other disorder occur.

- In case of gaseous state organic material: enclosed safety goggles
- In case of vapour state organic material: safety goggles or breathable safety goggles
- In case of particulate material: breathable safety goggles

An eye wash unit and safety shower station should be available nearby work place.

* Hand protection

Wear appropriate protective gloves by considering physical and chemical properties of chemicals.

* Body protection

Wear appropriate protective clothing by considering physical and chemical properties of chemicals.

SECTION 9	Physical and chemical properties
-----------	----------------------------------

A. Appearance

- * Description
- * Color

Solid
 Red

B. Odor

Odorless

C. Odor threshold

Not available(No Data)

D. pH

Not available(No Data)

E. Melting point/freezing point

1072 °C

F. Initial boiling point and boiling range	Not available(No Data)
G. Flash point	Not available(No Data)
H. Evaporation rate	Not available(No Data)
I. Flammability (solid, gas)	Not available(No Data)
J. Upper/lower flammability or explosive limits	Not available(No Data)
K. Vapor pressure	Not available(No Data)
L. Solubility (ies)	Insoluble
M. Vapor density	Not available(No Data)
N. Specific gravity	8.91 (water=1)
O. Partition coefficient n-octanol/water	Not available(No Data)
P. Auto ignition temperature	Not available(No Data)
Q. Decomposition temperature	Not available(No Data)
R. Viscosity	Not available(No Data)
S. Molecular weight	Not available(No Data)

SECTION 10	Stability and reactivity
A. Chemical stability and Possibility of hazardous reactions	May decompose at high temperatures into forming toxic gases. Stable at room temperature, normal pressure and normal use. Inhalation of material may be harmful. Containers may explode when heated.
B. Conditions to avoid	Ignition sources (heat, sparks or flames)
C. Incompatible materials	Flammable material, acids, oxidizing agents, alkalis
D. Hazardous decomposition products	Irritating, corrosive and/or toxic gases

SECTION 11	Toxicological information				
A. Information of Health Hazardous					
* Acute toxicity					
- Oral	ATEmix >2000 (mg/kg) → Not classified				
	<table> <tr> <td>Copper</td><td>LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-across: Copper oxide)(ECHA)</td></tr> <tr> <td>Tellurium</td><td>LD50 > 5 000 mg/kg bw rat(OECD Guideline 401)(ECHA)</td></tr> </table>	Copper	LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-across: Copper oxide)(ECHA)	Tellurium	LD50 > 5 000 mg/kg bw rat(OECD Guideline 401)(ECHA)
Copper	LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-across: Copper oxide)(ECHA)				
Tellurium	LD50 > 5 000 mg/kg bw rat(OECD Guideline 401)(ECHA)				
- Dermal	ATEmix >2000 (mg/kg) → Not classified				
	<table> <tr> <td>Copper</td><td>LD50 >2000mg/kg rat(OECD Guideline 402)(read-across: Copper oxide)(ECHA)</td></tr> <tr> <td>Tellurium</td><td>Not available(No Data)</td></tr> </table>	Copper	LD50 >2000mg/kg rat(OECD Guideline 402)(read-across: Copper oxide)(ECHA)	Tellurium	Not available(No Data)
Copper	LD50 >2000mg/kg rat(OECD Guideline 402)(read-across: Copper oxide)(ECHA)				
Tellurium	Not available(No Data)				
- Inhalation	Dust/mist ATEmix >1 (mg/L) → Not classified				
	<table> <tr> <td>Copper</td><td>Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)</td></tr> <tr> <td>Tellurium</td><td>LC50 > 2.42 mg/L air 4hr rat (OECD Guideline 403)(ECHA)</td></tr> </table>	Copper	Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)	Tellurium	LC50 > 2.42 mg/L air 4hr rat (OECD Guideline 403)(ECHA)
Copper	Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)				
Tellurium	LC50 > 2.42 mg/L air 4hr rat (OECD Guideline 403)(ECHA)				
* Skin corrosion/ irritation	Not classified				
	<table> <tr> <td>Copper</td><td>No irritation observed (Species: rabbit) (OECD Guideline 404) (read-across: Copper oxide) (ECHA)</td></tr> <tr> <td>Tellurium</td><td>Not classified as an irritant (OECD Guideline 439)(ECHA)</td></tr> </table>	Copper	No irritation observed (Species: rabbit) (OECD Guideline 404) (read-across: Copper oxide) (ECHA)	Tellurium	Not classified as an irritant (OECD Guideline 439)(ECHA)
Copper	No irritation observed (Species: rabbit) (OECD Guideline 404) (read-across: Copper oxide) (ECHA)				
Tellurium	Not classified as an irritant (OECD Guideline 439)(ECHA)				
* Serious eye damage/ irritation	Not classified				
	<table> <tr> <td>Copper</td><td>No irritation observed (Species: rabbit) (OECD Guideline 405) (read-across: Copper oxide) (ECHA)</td></tr> <tr> <td>Tellurium</td><td>Not classified as an irritant (OECD Guideline 438, EU method B.48)(ECHA)</td></tr> </table>	Copper	No irritation observed (Species: rabbit) (OECD Guideline 405) (read-across: Copper oxide) (ECHA)	Tellurium	Not classified as an irritant (OECD Guideline 438, EU method B.48)(ECHA)
Copper	No irritation observed (Species: rabbit) (OECD Guideline 405) (read-across: Copper oxide) (ECHA)				
Tellurium	Not classified as an irritant (OECD Guideline 438, EU method B.48)(ECHA)				
* Respiratory sensitization	Not classified				

* Skin sensitization	Not classified	
	Copper	Not sensitizing (species: guinea pig) (OECD Guideline 406) (analog: Copper oxide) (ECHA)
	Tellurium	Sensitization potential but response was not clear, no high SI values were seen (species: mouse) (OECD Guideline 429, EU Method B.42)(ECHA)
* Carcinogenicity	Not classified	
* Mutagenicity	Not classified	
	Copper	in vitro- gene mutation study in bacteria results : NEGATIVE(Species: S. typhimurium TA 1535, TA 1537, TA 98 and TA 100 and S. typhimurium TA 1538)(OECD Guideline 471)(ECHA)(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA) in vivo- mammalian somatic cell study: cytogenicity / erythrocyte micronucleus results NEGATIVE(Species: mouse)(EU Method B.12)(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
	Tellurium	in vitro- gene mutation study in mammalian cells : NEGATIVE(Species: mouse lymphoma L5178Y cells)(OECD Guideline 476)(ECHA)
* Reproductive toxicity	Category 1B	
	Copper	As a result of the second generation reproductive toxicity test, no reproductive toxicity was observed at any concentration (species: rat) (OECD Guideline 416) (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA) As a result of the developmental toxicity test, the mean fetal weight was slightly lower and the incidence of skeletal mutation was slightly increased, but was not related to teratogenesis, preimplantation loss, or fetal death 6 mg/kg (Species: rabbit) (OECD Guideline 414) (read-across: copper (1+) hydroxide CAS No. 1344-69-0) (ECHA)
	Tellurium	NOAEL (parenteral generation) for maternal toxicity: 175 ppm Maternal toxicity was evident by decreased feed consumption and decreased body weight gain in groups receiving ≥ 1750 ppm Tellurium in diet. NOAEL (F1 generation) for male/female off-spring: 300 ppm Rabbit fetuses of the highest dose group had slightly elevated evidence of skeletal delays and nonspecific abnormalities. (species: rat)
* Specific target organ toxicity (single exposure)	Not classified	
	Copper	As a result of the dermal acute toxicity test, no clinical signs indicative of harmful or serious toxicity were observed, no deaths were found (read-across: Copper sulphate pentahydrate) (ECHA)
	Tellurium	Not available(No Data)
* Specific target organ toxicity (repeat exposure)	Not classified	
	Copper	Oral (subchronic)- LOAELs for liver damage were 1000 ppm (cancer) and 2000 ppm (male), and results for kidney damage were considered toxicologically insignificant due to their species-specific tendencies (species: rat). (EU Method B.26) (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA) Inhalation (subacute)- Not classified as no serious effects were observed as a result of the test (Species: rat) (OECD Guideline 412) (read-across: Copper oxide) (ECHA)
	Tellurium	Not available(No Data)
* Aspiration Hazard	Not available(No Data)	

SECTION 12

Ecological information

A. Ecological toxicity

* Fish

Copper	LC50 38.4~256.2µg/L 96hr Pimephales promelas (read-across: copper sulfate CAS No. 7758-98-7)(ECHA)
Tellurium	LC50 > 46.4 mg/L, 96hr

* Crustacean

Copper	EC50 31.8µg/L 48hr Ceriodaphnia dubia(ECHA)
Tellurium	EC50 5.79 mg/L 48hr (Daphnia magna)(OECD Guideline 202, EU Method C.2)(ECHA)

* Algae

Copper	EC50 32~245µg/L 72hr Pseudokirchneriella subcapitata (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Tellurium	EC50 >11.7µg/L 72hr Pseudokirchneriella subcapitata (OECD Guideline 201)(ECHA)

B. Persistence and degradability

* Persistence	Not available(No Data)
* Degradability	Not available(No Data)
C. Bioaccumulative potential	
* Bioaccumulation	Not available(No Data)
* Biodegradation	Not available(No Data)
D. Mobility in soil	Not available(No Data)

E. Other hazardous effect

Copper	<p>Fish: NOEC 57.8, 109µg/L 96hr 32day Cyprinodon variegatus (OECD Guideline 210) (read-across: Copper (II) chloride dihydrate CAS No. 10125-13-0)(ECHA)</p> <p>Crustacean: NOEC 21.5~181µg/L 21day Daphnia magna (OECD Guideline 211) (read-across: Copper sulphate CAS No. 7758-98-7)(ECHA)</p> <p>Algae: NOEC 37.6~170.8µg/L 72hr Pseudokirchneriella subcapitata (read-across: copper chloride)(OECD Guideline 201)(ECHA)</p>
--------	---

SECTION 13	Disposal considerations
------------	-------------------------

A. Disposal method	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
B. Disposal precaution	Dispose of contents/container in accordance with relevant regulation. Refer to manufacturer or supplier for information on recovery or recycling.

SECTION 14	Transport information
------------	-----------------------

A. UN Number	Not regulated
B. UN Proper shipping name	Not regulated
C. Transport Hazard class	Not regulated
D. Packing group	Not regulated
E. Environmental hazards	Not regulated
F. Special precautions	Not regulated
* in case of fire	
* in case of leakage	

SECTION 15	Regulatory information
------------	------------------------

A. U.S.A Regulatory information & Other regulations	
* U.S.A Regulatory information	
- U.S.A management information (CERCLA Regulation)	Copper(2270 kg (5000 lb))
- U.S.A management information (EPCRA 302 Regulation)	Not regulated
- U.S.A management information (EPCRA 304 Regulation)	Not regulated
- U.S.A management information (EPCRA 313 Regulation)	Copper(regulated)
* Other regulations	
- Substance of Rotterdam Convention	Not regulated
- Substance of Stockholm Convention	Not regulated
- Substance of Montreal Protocol	Not regulated
- Harmonised classification Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)	Copper(Aquatic Chronic 2(H411))

SECTION 16	Other information
------------	-------------------

A. Information source and references	<p>CAMEO Chemicals (steam pressure)</p> <p>ECHA (Generative toxicity, crustaceans, epigrams, percutaneous, other harmful effects,</p>
--------------------------------------	---

melting points/fish points, reproductive cell mutation, severe eye damage or irritation,
fish, spontaneous combustion temperature, algae, specific target organ toxicity
(repetitive exposure), dermatologic toxicity, skin corrosion or irritation, inhalation)
ECHA Registered substances(Weight, characteristics)
EPISUITE(Partition coefficient n-octanol / water (kow))
HSDB(Odor, color, initial boiling point and boiling point range))
ICSC(solubility)
pubchem(molecular weight)
Self test analysis data (Ulsan site Quality Assurance Team)

B. Issuing date

November 29, 2023

C. Revision number and date

* revision number

Ver. 1

* date of the latest revision

May 30, 2025

D. Others

This Material Safety Data Sheet (SDS) is prepared according to the GHS (Globally Harmonized System of Classification and Labeling of Chemicals) standards of Korea.

This data does not guarantee product quality, but describes safety, health and environmental issues for handling under normal conditions. If the properties of the product are changed due to heating or processing according to the usage method, please check the additional safety and health information before use.

In addition, this information may be revised without prior notice, and materials can be provided through our website (www.poongsan.co.kr).

For other details, please contact our Safety Environment Team or Quality Assurance Team.